

JAVA

Fossilized® Bamboo Flooring

From your child's first steps to the college send-off, Java Fossilized® bamboo flooring keeps up with your ever-evolving lifestyle. Our most popular floor, Java is a warm, medium brown with stunning color variation -- complementing any decor style, from traditional to contemporary. Our Java flooring is designed to be installed once, but enjoyed forever.




Canadian Distributor for all
Cali Bamboo products.
www.Bamboo-Design.ca



JAVA

Fossilized® Bamboo Flooring



Java Wide T&G


Model #	7003003000
Grain	Fossilized® Strand Bamboo
Plank Length	72 inches
Plank Width	5-3/8 inches
Plank Thickness	9/16 inch
Sqft./Box	27.01 sqft.
Milling	Tongue-and-Groove
Installation Method	Glue, Float, Nail
Finish	10 Coat Durability Sealing System
Janka Hardness	3393 lbs. to 5407 lbs.
Sound Rating	IIC 67/STC 63 (with Cali Complete) IIC 58/STC 53 (with cork underlayment)
Indoor Air Quality	Low Emitting VOC & Prop 65 Compliant. Test Results Available upon Request.
Residential Warranty	50 Years
Commercial Warranty	15 Years
LEED Points	EQc4.3 MRc6** MRc7, FSC® available upon request*
Fire Rating	Class I Interior
Certification	FloorScore Certified



Java Wide Click

Model #	7004001900
Grain	Fossilized® Strand Bamboo
Plank Length	72-7/8 inches
Plank Width	5-1/8 inches
Plank Thickness	9/16 inch
Sqft./Box	25.88 sqft.
Milling	Click Lock
Installation Method	Glue, Float
Finish	10 Coat Durability Sealing System
Janka Hardness	3393 lbs. to 5407 lbs.
Sound Rating	IIC 67/STC 63 (with Cali Complete) IIC 58/STC 53 (with cork underlayment)
Indoor Air Quality	Low Emitting VOC & Prop 65 Compliant. Test Results Available upon Request.
Residential Warranty	50 Years
Commercial Warranty	15 Years
LEED Points	EQc4.3 MRc6** MRc7, FSC® available upon request*
Fire Rating	Class I Interior
Certification	FloorScore Certified

Color-Matched Accessories Available!



*Use a minimum of 50% (based on cost) of wood-based materials and products that are certified in accordance with the Forest Stewardship Council's principles and criteria, for wood building components.
**Use rapidly renewable building materials and products for 2.5% of the total value of all building materials.


JAVA

Fossilized® Bamboo Flooring



Java T&G

Model #	7001000800
Grain	Fossilized® Strand Bamboo
Plank Length	72 inches
Plank Width	3-3/4 inches
Plank Thickness	9/16 inch
Sqft./Box	23 sqft.
Milling	Tongue-and-Groove
Installation Method	Glue, Float, Nail
Finish	10 Coat Durability Sealing System
Janka Hardness	3393 lbs. to 5407 lbs.
Sound Rating	IIC 67/STC 63 (with Cali Complete) IIC 58/STC 53 (with cork underlayment)
Indoor Air Quality	Low Emitting VOC & Prop 65 Compliant. Test Results Available upon Request.
Residential Warranty	50 Years
Commercial Warranty	15 Years
LEED Points	EQc4.3 MRC6** MRC7, FSC® available upon request*
Fire Rating	Class I Interior
Certification	FloorScore Certified



Java Click

Model #	7006003800
Grain	Fossilized® Strand Bamboo
Plank Length	36 inches
Plank Width	3-3/4 inches
Plank Thickness	7/16 inch
Sqft./Box	22.69 sqft.
Milling	Click Lock
Installation Method	Glue, Float
Finish	10 Coat Durability Sealing System
Janka Hardness	3393 lbs. to 5407 lbs.
Sound Rating	IIC 67/STC 63 (with Cali Complete) IIC 58/STC 53 (with cork underlayment)
Indoor Air Quality	Low Emitting VOC & Prop 65 Compliant. Test Results Available upon Request.
Residential Warranty	50 Years
Commercial Warranty	15 Years
LEED Points	EQc4.3 MRC6** MRC7, FSC® available upon request*
Fire Rating	Class I Interior
Certification	FloorScore Certified

Color-Matched Accessories Available!



CERTIFIED BY
FSC Global Services

Available Upon
Request